

Tucson

	Tucson Premium MY18	Tucson Premium MY18	Tucson Executive MY18	Tucson Elite MY18	Tucson Elite MY18	Tucson Executive MY18	Tucson Elite MY18
	SUV - 4x2	SUV - 4x2	SUV - 4x2	SUV - 4x2	SUV - 4x2	SUV - 4x2	SUV - 4x2
	Petrol	Petrol	Petrol	Petrol	Petrol	Diesel	Diesel
	6-spd Manual	6-spd Automatic	6-spd Automatic	6-spd Automatic	7-spd DCT	8-spd Automatic	8-spd Automatic
ENGINE							
General Data							
Engine Type	Nu 2.0	Nu 2.0	Nu 2.0	Nu 2.0	TGDI 1.6	R 2.0 CRDi	R 2.0 CRDi
Displacement (cc)	1,999	1,999	1,999	1,999	1,591	1,995	1,995
Bore x Stroke (mm)	81 x 97	81 x 97	81 x 97	81 x 97	77 X 85.44	84 x 90	84 x 90
Compression Ratio	10.3 : 1	10.3 : 1	10.3 : 1	10.3 : 1	9.5 :1	16.5 :1	16.5 :1
Max. Power (Kw @ rpm)	115 @ 6200	115 @ 6200	115 @ 6200	115 @ 6200	130 @ 5500	131 @ 4000	131 @ 4000
Max. Torque (Nm @ rpm)	196 @ 4000	196 @ 4000	196 @ 4000	196 @ 4000	265 @ 4500	400 @ 1750~2750	400 @ 1750~2750
Number of Cylinders	4	4	4	4	4	4	4
Cylinder Block	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Cast Iron	Cast Iron
Cylinder Head	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium
Timing Chain	Silent Timing Chain	Silent Timing Chain	Silent Timing Chain	Silent Timing Chain	Silent Timing Chain	Silent Timing Chain	Silent Timing Chain
Engine Cover	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Hood Insulator	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Valve System	D-CVVT , 16 Valve	D-CVVT , 16 Valve	D-CVVT , 16 Valve	D-CVVT , 16 Valve	D-CVVT , 16 Valve	16 VALVE HLA	16 VALVE HLA
Cam System	DOHC	DOHC	DOHC	DOHC	DOHC	DOHC	DOHC
Turbo Charger	-	-	-	-	Standard	Standard (E-VGT)	Standard (E-VGT)
Fuel System	Returnless Multi-point electronic fuel injection	Returnless Multi-point electronic fuel injection	Returnless Multi-point electronic fuel injection	Returnless Multi-point electronic fuel injection	Returnless Multi-point electronic fuel injection	Common Rail Diesel	Common Rail Diesel
Fuel Type	High Octane Petrol	High Octane Petrol	High Octane Petrol	High Octane Petrol	High Octane Petrol	10/50 ppm - Diesel	10/50 ppm - Diesel
Euro Stage	Euro 2	Euro 2	Euro 2	Euro 2	Euro 2	Euro 3	Euro 3
Fuel Tank (L)	62	62	62	62	62	62	62
Lubricant Oil Capacity (L)	4.0	4.0	4.0	4.0	4.5	7.6	7.6
Cooling Fluid Capacity (L)	7.0	6.8	6.8	6.8	7.1	8.7	8.7
Electrical System							
Battery	60 AH	60 AH	60 AH	60 AH	60 AH	90 AH	90 AH
Alternator	13.5V/150A	13.5V/150A	13.5V/150A	13.5V/150A	13.5V/130A	13.5V/130A	13.5V/130A
Starter	12V/1.2KW	12V/1.2KW	12V/1.2KW	12V/1.2KW	12V/0.9KW	12V/2.0kW	12V/2.0kW
TRANSMISSION							
Drive Type							
Drive Type	Front Wheel Drive	Front Wheel Drive	Front Wheel Drive	Front Wheel Drive	Front Wheel Drive	Front Wheel Drive	Front Wheel Drive
Transmission Type	6-Speed Manual	6-Speed Automatic	6-Speed Automatic	6-Speed Automatic	7-Speed Dual Clutch	8-Speed Automatic	8-Speed Automatic
4WD System	-	-	-	-	-	-	-
Gear Ratio							
1st	3.769	4.621	4.621	4.621	3.929	4.808	4.808
2nd	2.080	2.575	2.575	2.575	2.318	2.901	2.901
3rd	1.323	1.772	1.772	1.772	2.043	1.864	1.864
4th	0.976	1.369	1.369	1.369	1.070	1.424	1.424
5th	0.778	1.000	1.000	1.000	0.882	1.219	1.219
6th	0.663	0.078	0.078	0.078	0.884	1	1
7th	-	-	-	-	0.721	0.799	0.799
8th	-	-	-	-	-	0.648	0.648
Reverse	3.077	3.500	3.500	3.500	5.304	3.425	3.425
Final	4.533/5.231 (1~6/R)	3.648	3.648	3.648	4.857(1,2,4,5) 3.579(3,6,7,R)	3.064	3.064
Eco Drive shift indicator	Standard	-	-	-	-	-	-
Shift Lock System	-	-	Electronic Type	Electronic Type	Electronic Type	Electronic Type	Electronic Type
Clutch Type	Ø 235mm Dry Single Plate Diaphragm Spring Type	Ø 236mm Torque Converter	Ø 236mm Torque Converter	Ø 236mm Torque Converter	Dry Double Clutch (C1:Ø235x140 C2:Ø228,6x140)	Ø 260mm Torque Converter	Ø 260mm Torque Converter
Lubricant Capacity (L)	1.7~1.8	7.3	7.3	7.3	1.9~2.0	7.8	7.8
VEHICLE PERFORMANCE							
Max Speed (kph)							
Max Speed (kph)	186	181	181	181	201	201	201
Acceleration (sec)							
0 → 100 kph	10.6	11.1	11.1	11.1	8.9	9.3	9.3
Braking (m)							
100 → 0 kph	42.8	42.8	42.8	42.8	40.9	42.8	42.8
Coefficient of Drag							
Coefficient of Drag	0.33	0.33	0.33	0.33	0.33	0.33	0.33
FUEL CONSUMPTION (European testing)							
Combined Cycle							
Combined Cycle	Litres / 100 km	8.9	9.0	9.0	8.5	7.9	7.9
CO2 EMISSIONS (European testing)							
Combined Cycle							
Combined Cycle	g/km	189	185	185	185	186	164
SUSPENSION							
Front							
Front	McPherson type strut with stabilizer bar and Coil Springs	McPherson type strut with stabilizer bar and Coil Springs	McPherson type strut with stabilizer bar and Coil Springs	McPherson type strut with stabilizer bar and Coil Springs	McPherson type strut with stabilizer bar and Coil Springs	McPherson type strut with stabilizer bar and Coil Springs	McPherson type strut with stabilizer bar and Coil Springs
Rear							
Rear	Multi Link with coil springs and anti roll bar	Multi Link with coil springs and anti roll bar	Multi Link with coil springs and anti roll bar	Multi Link with coil springs and anti roll bar	Multi Link with coil springs and anti roll bar	Multi Link with coil springs and anti roll bar	Multi Link with coil springs and anti roll bar
Shock Absorbers							
Front	Gas Filled High Performance Damper	Gas Filled High Performance Damper	Gas Filled High Performance Damper	Gas Filled High Performance Damper	Gas Filled High Performance Damper	Gas Filled High Performance Damper	Gas Filled High Performance Damper
Rear	Gas Filled High Performance Damper	Gas Filled High Performance Damper	Gas Filled High Performance Damper	Gas Filled High Performance Damper	Gas Filled High Performance Damper	Gas Filled High Performance Damper	Gas Filled High Performance Damper
STEERING							
Steering Wheel Description							
Steering Wheel Description	4 Spoke steering wheel with Airbag	4 Spoke steering wheel with Airbag	4 Spoke steering wheel with Airbag	4 Spoke steering wheel with Airbag	4 Spoke steering wheel with Airbag	4 Spoke steering wheel with Airbag	4 Spoke steering wheel with Airbag
Steering Type							
Steering Type	Rack & Pinion with Collapsible universal joint & column	Rack & Pinion with Collapsible universal joint & column	Rack & Pinion with Collapsible universal joint & column	Rack & Pinion with Collapsible universal joint & column	Rack & Pinion with Collapsible universal joint & column	Rack & Pinion with Collapsible universal joint & column	Rack & Pinion with Collapsible universal joint & column
Power Assisted							
Power Assisted	Motor Driven Power Assisted Steering system (MDPS)	Motor Driven Power Assisted Steering system (MDPS)	Motor Driven Power Assisted Steering system (MDPS)	Motor Driven Power Assisted Steering system (MDPS)	Motor Driven Power Assisted Steering system (MDPS)	Motor Driven Power Assisted Steering system (MDPS)	Motor Driven Power Assisted Steering system (MDPS)
Drive Mode (Normal,Eco,Sport)							
Drive Mode (Normal,Eco,Sport)	-	-	-	Standard	Standard	Standard	Standard
Steering Column Adjustment							
Steering Column Adjustment	Tilt & Telescopic	Tilt & Telescopic	Tilt & Telescopic	Tilt & Telescopic	Tilt & Telescopic	Tilt & Telescopic	Tilt & Telescopic
Steering Wheel Finish							
Steering Wheel Finish	Poly Urethane	Poly Urethane	Imitation Leather - Black	Imitation Leather - Black	Imitation Leather - Black	Imitation Leather - Black	Imitation Leather - Black
Steering Wheel Multifunction Controls							
Audio Control	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Cruise Control	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Bluetooth	Standard	Standard	Standard	Standard	Standard	Standard	Standard
On-board Computer	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Steering Wheel Turns (lock to lock)							
Steering Wheel Turns (lock to lock)	2.71	2.71	2.71	2.71	2.71	2.71	2.71
Min. Turning Radius (m)							
Min. Turning Radius (m)	5.30	5.30	5.30	5.30	5.30	5.30	5.30
WHEELS & TYRES							
Wheel Type							
Wheel Type	Alloy Rim 7.0J x 17	Alloy Rim 7.0J x 17	Alloy Rim 7.0J x 18	Alloy Rim 7.0J x 18	Alloy Rim 7.5J x 19	Alloy Rim 7.0J x 18	Alloy Rim 7.5J x 19
Tyre Size							
Front	225/60 R17"	225/60 R17"	225/55 R18	225/55 R18	245/45 R19	225/55 R18	245/45 R19
Rear	225/60 R17"	225/60 R17"	225/55 R18	225/55 R18	245/45 R19	225/55 R18	245/45 R19
Spare	225/60 R17"	225/60 R17"	225/55 R18	225/55 R18	245/45 R19	225/55 R18	245/45 R19
Spare Tyre Location							
Spare Tyre Location	Located on the cargo floor	Located on the cargo floor	Located on the cargo floor	Located on the cargo floor	Located on the cargo floor	Located on the cargo floor	Located on the cargo floor
Tyre Pressure (Kpa):							
Front							
Unladen	240	240	240	240	240	240	240
Laden	240	240	240	240	240	240	240
Rear							
Unladen	240	240	240	240	240	240	240
Laden	240	240	240	240	240	240	240
Spare	240	240	240	240	240	240	240
BRAKES							
Front Brake Type							
Front Brake Type	Ø 305mm Ventilated Disc, Floating-calliper brakes with Pads wear warning devices	Ø 305mm Ventilated Disc, Floating-calliper brakes with Pads wear warning devices	Ø 305mm Ventilated Disc, Floating-calliper brakes with Pads wear warning devices	Ø 305mm Ventilated Disc, Floating-calliper brakes with Pads wear warning devices	Ø 305mm Ventilated Disc, Floating-calliper brakes with Pads wear warning devices	Ø 305mm Ventilated Disc, Floating-calliper brakes with Pads wear warning devices	Ø 305mm Ventilated Disc, Floating-calliper brakes with Pads wear warning devices
Rear Brake Type							
Rear Brake Type	Ø 302mm Solid Disc, Floating-calliper brake with wear warning device	Ø 302mm Solid Disc, Floating-calliper brake with wear warning device	Ø 302mm Solid Disc, Floating-calliper brake with wear warning device	Ø 302mm Solid Disc, Floating-calliper brake with wear warning device	Ø 302mm Solid Disc, Floating-calliper brake with wear warning device	Ø 302mm Solid Disc, Floating-calliper brake with wear warning device	Ø 302mm Solid Disc, Floating-calliper brake with wear warning device
Brake Booster							
Brake Booster	11" Single	11" Single	11" Single	11" Single	11" Single	11" Single	11" Single
Boost Ratio							
Boost Ratio	9 : 1	9 : 1	9 : 1	9 : 1	9 : 1	9 : 1	9 : 1
Park Brake							
Park Brake	Floor mount cable type on rear wheels - Ø 190mm DIH (Drum In Hat)	Floor mount cable type on rear wheels - Ø 190mm DIH (Drum In Hat)	Floor mount cable type on rear wheels - Ø 190mm DIH (Drum In Hat)	Floor mount cable type on rear wheels - Ø 190mm DIH (Drum In Hat)	Floor mount cable type on rear wheels - Ø 190mm DIH (Drum In Hat)	Floor mount cable type on rear wheels - Ø 190mm DIH (Drum In Hat)	Floor mount cable type on rear wheels - Ø 190mm DIH (Drum In Hat)
ABS (Anti-Lock Breaking System)							
ABS (Anti-Lock Breaking System)	4-Wheel electronic, 4-Channel 4-Sensor ABS	4-Wheel electronic, 4-Channel 4-Sensor ABS	4-Wheel electronic, 4-Channel 4-Sensor ABS	4-Wheel electronic, 4-Channel 4-Sensor ABS	4-Wheel electronic, 4-Channel 4-Sensor ABS	4-Wheel electronic, 4-Channel 4-Sensor ABS	4-Wheel electronic, 4-Channel 4-Sensor ABS
EBD (Electronic Brake Force Distribution)							
EBD (Electronic Brake Force Distribution)	Standard	Standard	Standard	Standard	Standard	Standard	Standard
ESP (Electronic Stability Program)							
ESP (Electronic Stability Program)	-	-	Standard	Standard	Standard	Standard	Standard
VSM (Vehicle Stability Management)							
VSM (Vehicle Stability Management)	-	-	Standard	Standard	Standard	Standard	Standard

Tucson

	Tucson Premium MY18	Tucson Premium MY18	Tucson Executive MY18	Tucson Elite MY18	Tucson Elite MY18	Tucson Executive MY18	Tucson Elite MY18
	SUV - 4x2 Petrol	SUV - 4x2 Petrol	SUV - 4x2 Petrol	SUV - 4x2 Petrol	SUV - 4x2 Petrol	SUV - 4x2 Diesel	SUV - 4x2 Diesel
	6-spd Manual	6-spd Automatic	6-spd Automatic	6-spd Automatic	7-spd DCT	8-spd Automatic	8-spd Automatic
AYC (Active Yaw Control)	-	-	Standard	Standard	Standard	Standard	Standard
DBC (Downhill Brake Control)	-	-	Standard	Standard	Standard	Standard	Standard
HAC (Hill start Assist Control)	-	-	Standard	Standard	Standard	Standard	Standard
WEIGHT (kg)							
Vehicle							
Curb / Tare	1,580	1,585	1,585	1,585	1,605	1,626	1,626
Gross Vehicle Mass (GVM)	2,040	2,060	2,060	2,060	2,105	2,220	2,220
Gross Combination Mass (GCM)	3,940	3,660	3,660	3,660	3,705	4,120	4,120
Maximum Mass On Front Axle	1,240	1,240	1,240	1,240	1,240	1,240	1,240
Maximum Mass On Rear Axle	1,150	1,150	1,150	1,150	1,150	1,150	1,150
Trailer							
Braked	1,900	1,600	1,600	1,600	1,600	1,900	1,900
Unbraked	750	750	750	750	750	750	750
Payload (Kg)	460	475	475	475	500	594	594
Roof Rack Load (Kg)	-	-	100	100	100	100	100
DIMENSIONS							
Exterior (mm)							
Overall Length	4,480	4,480	4,480	4,480	4,480	4,480	4,480
Overall Width	1,850	1,850	1,850	1,850	1,850	1,850	1,850
Overall Height - Excluding Roof Rails	1,655	1,655	1,655	1,655	1,655	1,655	1,655
Overall Height - Including Roof Rails	-	-	1,660	1,660	1,660	1,660	1,660
Wheelbase	2,670	2,670	2,670	2,670	2,670	2,670	2,670
Ground Clearance	172	172	172	172	172	172	172
Wheel Tread (mm)							
Front	1,608	1,608	1,608	1,608	1,604	1,608	1,604
Rear	1,620	1,620	1,620	1,620	1,615	1,620	1,615
Overhang (mm)							
Front	910	910	910	910	910	910	910
Rear	900	900	900	900	900	900	900
Off Road Ability							
Approach Angle	17.9°	17.9°	17.9°	17.9°	17.9°	17.9°	17.9°
Departure Angle	24.5°	24.5°	24.5°	24.5°	24.5°	24.5°	24.5°
Ramp Break Over Angle	19.5°	19.5°	19.5°	19.5°	19.5°	19.5°	19.5°
Interior (mm)							
Head Room							
Front Row	1,005	1,005	1,005	963	963	963	963
Second Row	995	995	995	969	969	969	969
Leg Room							
Front Row	1,053	1,053	1,053	1,053	1,053	1,053	1,053
Second Row	970	970	970	970	970	970	970
Shoulder Room							
Front Row	1,450	1,450	1,450	1,450	1,450	1,450	1,450
Second Row	1,410	1,410	1,410	1,410	1,410	1,410	1,410
Hip Room							
Front Row	1,413	1,413	1,413	1,413	1,413	1,413	1,413
Second Row	1,384	1,384	1,384	1,384	1,384	1,384	1,384
Cargo Area (L) - VDA							
Behind First Row	1,478	1,478	1,478	1,478	1,478	1,478	1,478
Behind Second Row (Boot Space)	488	488	488	488	488	488	488
STYLING FEATURES							
Bumper Styling							
Front	Body Colour	Body Colour	Body Colour	Body Colour	Body Colour	Body Colour	Body Colour
Rear	Body Colour & Black	Body Colour & Black	Body Colour & Black	Body Colour & Black	Body Colour & Silver Skid Plate	Body Colour & Silver Skid Plate	Body Colour & Silver Skid Plate
Door Handles							
Front Grill Styling	Black & Chrome	Black & Chrome	Black & Chrome	Black & Chrome	Black & Chrome	Black & Chrome	Black & Chrome
Gear Lever Finish	Poly Urethane	Poly Urethane	Imitation Leather - Black	Imitation Leather - Black	Imitation Leather - Black	Imitation Leather - Black	Imitation Leather - Black
Rear Spoiler	Body Colour	Body Colour	Body Colour	Body Colour	Body Colour	Body Colour	Body Colour
Side Garnish	Black	Black	Two Tone	Two Tone	Two Tone	Two Tone	Two Tone
Door Garnish	-	-	Chrome Finish	Chrome Finish	Chrome Finish	Chrome Finish	Chrome Finish
Side Mirrors	Body Colour	Body Colour	Body Colour	Body Colour	Body Colour	Body Colour	Body Colour
Metallic Paint	Optional	Optional	Optional	Optional	Optional	Optional	Optional
SEATS							
Front Seats							
Drivers Seat Adjustment							
Slide	Manual	Manual	Electric	Electric	Electric	Electric	Electric
Recline	Manual	Manual	Electric	Electric	Electric	Electric	Electric
Height	Manual - Pump Type	Manual - Pump Type	Electric	Electric	Electric	Electric	Electric
Lumbar Support	-	-	Standard	Standard	Standard	Standard	Standard
Head Rests	Height & Reach Adjustable	Height & Reach Adjustable	Height & Reach Adjustable	Height & Reach Adjustable	Height & Reach Adjustable	Height & Reach Adjustable	Height & Reach Adjustable
Seat Back Pockets	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Passenger Seat Adjustment							
Slide	Manual	Manual	Manual	Electric	Electric	Manual	Electric
Recline	Manual	Manual	Electric	Electric	Electric	Manual	Electric
Height	-	-	-	Electric	Electric	-	Electric
Head Rests	Height & Reach Adjustable	Height & Reach Adjustable	Height & Reach Adjustable	Height & Reach Adjustable	Height & Reach Adjustable	Height & Reach Adjustable	Height & Reach Adjustable
Seat Back Pockets	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Second Row							
Recline	Manual	Manual	Manual	Manual	Manual	Manual	Manual
Split Rear Seats	60/40	60/40	60/40	60/40	60/40	60/40	60/40
Armrest	Standard - With Cup Holders	Standard - With Cup Holders	Standard - With Cup Holders	Standard - With Cup Holders	Standard - With Cup Holders	Standard - With Cup Holders	Standard - With Cup Holders
Head Rests	3 X Height Adjustable	3 X Height Adjustable	3 X Height Adjustable	3 X Height Adjustable	3 X Height Adjustable	3 X Height Adjustable	3 X Height Adjustable
Seating Configuration	2 Front / 3 Rear	2 Front / 3 Rear	2 Front / 3 Rear	2 Front / 3 Rear	2 Front / 3 Rear	2 Front / 3 Rear	2 Front / 3 Rear
Seat Trim	High Grade Cloth	High Grade Cloth	Imitation Leather - Black	Imitation Leather - Black	Imitation Leather - Black	Imitation Leather - Black	Imitation Leather - Black
Anti-submarine	All	All	All	All	All	All	All
SAFETY FEATURES							
Airbags							
Driver	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Passenger	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Side	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Curtain	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Body							
Crumple Zones	Front & Rear	Front & Rear	Front & Rear	Front & Rear	Front & Rear	Front & Rear	Front & Rear
Side Impact Protection Beams	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Uni-body Construction	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Lights							
Delay Exiting On head lights	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Delay Exiting On Interior lights	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Fog lights	Front & Rear	Front & Rear	Front & Rear	Front & Rear	Front & Rear	Front & Rear	Front & Rear
Headlight Auto On/Off Function	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Headlight Type	Bi Function Projection - Halogen with LED type positioning lamp	Bi Function Projection - Halogen with LED type positioning lamp	Bi Function Projection - Halogen with LED type positioning lamp	Full LED Head Lamp	Full LED Head Lamp	Bi Function Projection - Halogen with LED type positioning lamp	Full LED Head Lamp
Static Bending	-	-	-	Standard	Standard	-	Standard
LED Daytime Running Lights	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Adjustable Headlights	Manual Adjustment	Manual Adjustment	Manual Adjustment	Auto Adjustment	Auto Adjustment	Manual Adjustment	Auto Adjustment
High Mount Stop Light	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Side Indicators	On Side Mirror	On Side Mirror	On Side Mirror	On Side Mirror	On Side Mirror	On Side Mirror	On Side Mirror
Seatbelt							
Front Seats							
Seatbelt Type	2 x 3 Point Inertia Reel (ELR)	2 x 3 Point Inertia Reel (ELR)	2 x 3 Point Inertia Reel (ELR)	2 x 3 Point Inertia Reel (ELR)	2 x 3 Point Inertia Reel (ELR)	2 x 3 Point Inertia Reel (ELR)	2 x 3 Point Inertia Reel (ELR)
Pretensioner with Load Limiter	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Height Adjustable	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Not-Inserted Warning Indicator (Driver)	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Second Row							
Seatbelt Type	2 x 3 Point Inertia Reel (ELR) 1 x Lap Strap	2 x 3 Point Inertia Reel (ELR) 1 x Lap Strap	3 x 3 Point Inertia Reel (ELR)	3 x 3 Point Inertia Reel (ELR)	3 x 3 Point Inertia Reel (ELR)	3 x 3 Point Inertia Reel (ELR)	3 x 3 Point Inertia Reel (ELR)
Child Seat anchors	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Security							
Auto Locking Doors	Speed Sensitive 15km/h	Speed Sensitive 15km/h	Speed Sensitive 15km/h	Speed Sensitive 15km/h	Speed Sensitive 15km/h	Speed Sensitive 15km/h	Speed Sensitive 15km/h
Auto Unlocking Doors	All doors on key removal	All doors on key removal	All doors on key removal	All doors on ignition off	All doors on ignition off	All doors on key removal	All doors on ignition off

Tucson

	Tucson Premium MY18	Tucson Premium MY18	Tucson Executive MY18	Tucson Elite MY18	Tucson Elite MY18	Tucson Executive MY18	Tucson Elite MY18
	SUV - 4x2	SUV - 4x2	SUV - 4x2	SUV - 4x2	SUV - 4x2	SUV - 4x2	SUV - 4x2
	Petrol	Petrol	Petrol	Petrol	Petrol	Diesel	Diesel
	6-spd Manual	6-spd Automatic	6-spd Automatic	6-spd Automatic	7-spd DCT	8-spd Automatic	8-spd Automatic
WARRANTY & MAINTENANCE							
Warranty	5 Year / 150 000 km Manufacturer's Warranty	5 Year / 150 000 km Manufacturer's Warranty	5 Year / 150 000 km Manufacturer's Warranty	5 Year / 150 000 km Manufacturer's Warranty	5 Year / 150 000 km Manufacturer's Warranty	5 Year / 150 000 km Manufacturer's Warranty	5 Year / 150 000 km Manufacturer's Warranty
	Additional 2 Year / 50 000 Km Manufacturer's Powertrain Warranty	Additional 2 Year / 50 000 Km Manufacturer's Powertrain Warranty	Additional 2 Year / 50 000 Km Manufacturer's Powertrain Warranty	Additional 2 Year / 50 000 Km Manufacturer's Powertrain Warranty	Additional 2 Year / 50 000 Km Manufacturer's Powertrain Warranty	Additional 2 Year / 50 000 Km Manufacturer's Powertrain Warranty	Additional 2 Year / 50 000 Km Manufacturer's Powertrain Warranty
Perforation Warranty	5 Year / 160 000 km Manufacturer's Warranty	5 Year / 160 000 km Manufacturer's Warranty	5 Year / 160 000 km Manufacturer's Warranty	5 Year / 160 000 km Manufacturer's Warranty	5 Year / 160 000 km Manufacturer's Warranty	5 Year / 160 000 km Manufacturer's Warranty	5 Year / 160 000 km Manufacturer's Warranty
Roadside Assistance Service Plan	5 year / 150 000 km	5 year / 150 000 km	5 year / 150 000 km	5 year / 150 000 km	5 year / 150 000 km	5 year / 150 000 km	5 year / 150 000 km
Service Intervals	5 year / 90 000 km	5 year / 90 000 km	5 year / 90 000 km	5 year / 90 000 km	5 year / 90 000 km	5 year / 90 000 km	5 year / 90 000 km
	15 000 km	15 000 km	15 000 km	15 000 km	5000 km and every 15 000 km thereafter	15 000 km	15 000 km