

H1 9 Seater Wagon		H1 2.4 CVVT	H1 2.5 VGTi
		9 Seater Bus	9 Seater Bus
		Petrol	Diesel
		5-spd Manual	5-spd Automatic
ENGINE			
General Data			
Displacement (cc)		2 359	2 497
Bore x Stroke (mm)		88 x 97	91 x 96
Compression Ratio		10.5 : 1	16.4 : 1
Max. Power (Kw/rpm)		126 / 6000	125 / 3600
Max. Torque (Nm/rpm)		224 / 4200	441 / 2000-2250
Number of Cylinders		4	4
Cylinder Block		Aluminium	Aluminium
Cylinder Head		Aluminium	Aluminium
Engine Cover		Standard	Standard
Hood Insulator		Standard	Standard
Valve System		DOHC (4 valve/cyl)	DOHC (4 valve/cyl)
Turbo Charger		-	VGT Type
Fuel System		Returnless Multi-point electronic fuel injection	Electronic Common Rail System
Fuel Type		Unleaded	Diesel
Fuel Tank (L)		75	75
Lubricant Oil Capacity (L)		5,1	7,4
Cooling Fluid Capacity (L)		10,2	13
Electrical System			
Battery		68 AH	90 AH
Alternator		13.5V/130A	13.5V/130A
Starter		12V/1.2KW	12V/2.2KW
TRANSMISSION			
Drive Type		2WD - Rear	2WD - Rear
Transmission Type		5-Speed Manual	5-Speed Automatic
Gear Ratio			
1st		4,271	3,767
2nd		2,282	2,331
3rd		1,414	1,534
4th		1,000	1,000
5th		0,813	0,838
Reverse		4,038	2,767
Final		4,222	2,929
Shift Lock System		-	Yes
Clutch Type		Dry Type, with single friction plate	Torque Converter
Lubricant Capacity (L)		1,95	10,00
VEHICLE PERFORMANCE			
Max Speed (kph)		178	180
Acceleration (sec)			
0 → 60 kph			
0 → 100 kph		17,1	14,4
60 → 100 kph		17,2	8,4
Braking (m)			
50 → 0 kph		13,8	13,8
100 → 0 kph		44,6	44,6
Coefficient of Drag		0,34	0,34
FUEL CONSUMPTION (European testing)			
Combination	Litres / 100 km	10,3	9,8
CO2 EMISSIONS (European testing)			
Combination	g/km	241	238
SUSPENSION			
Front		McPherson type strut with gas shock absorber	McPherson type strut with gas shock absorber
Rear		Rigid axle 5-Link with Oil shock absorber	Rigid axle 5-Link with Oil shock absorber
Shock Absorbers		Telescopic hydraulic double acting type	Telescopic hydraulic double acting type
STEERING			
Steering Wheel Description		4 Spoke steering wheel with Airbag	4 Spoke steering wheel with Airbag
Steering Type		Rack & Pinion with Collapsible universal joint & column	Rack & Pinion with Collapsible universal joint & column

H1 9 Seater Wagon	H1 2.4 CVVT	H1 2.5 VGTi
	9 Seater Bus	9 Seater Bus
	Petrol	Diesel
	5-spd Manual	5-spd Automatic
Power Assisted	Hydraulic Power Assisted Steering system	Hydraulic Power Assisted Steering system
Steering Column Adjustment	Tilt & Telescopic	Tilt & Telescopic
Steering Wheel Finish	Imitation Leather	Imitation Leather
Steering Wheel Multifunction Controls	Audio & Bluetooth	Audio, Bluetooth, Cruise & Computer
Steering Wheel Turns (lock to lock)	3,57	3,57
Min. Turning Radius (m)	5,61	5,61
WHEELS & TYRES		
Wheel Type	16" Alloy Rim	17" Alloy Rim
Tyre Size		
Front	215 / 70 R16"	215 / 65 R17"
Rear	215 / 70 R16"	215 / 65 R17"
Spare (Steel Rim)	215 / 70 R16"	215 / 65 R17"
Spare Tyre Location	Located under cargo floor	Located under cargo floor
Tyre Pressure (Kpa):		
Front		
Unladen	290	290
Laden	325	290
Rear		
Unladen	290	290
Laden	350	290
Spare	350	290
BRAKES		
Front Brake Type	300mm Ventilated disc with ABS	300mm Ventilated disc with ABS
Rear Brake Type	324mm Solid Disc with ABS	324mm Solid Disc with ABS
Brake Booster	Double 9+10"	Double 9+10"
ABS (Anti-Lock Breaking System)	4-Wheel electronic, 4-Channel 4-Sensor ABS	4-Wheel electronic, 4-Channel 4-Sensor ABS
EBD (Electronic Brake Force Distribution)	Standard	Standard
Park Brake	Floor mount cable type on rear wheels	Floor mount cable type on rear wheels
WEIGHT (kg)		
Vehicle		
Curb / Tare	2 085	2 216
Gross Vehicle Mass (GVM)	2 810	3 030
Gross Combination Mass (GCM)	4 810	4 530
Maximum Mass On Front Axle	1 600	1 600
Maximum Mass On Rear Axle	1 780	1 780
Trailer		
Braked	2 000	1 500
Unbraked	750	750
Payload	678	890
Roof Rack Load	80	80
Roof Rack Load - Tongue	100	100
DIMENSIONS		
Exterior (mm)		
Overall Length	5 150	5 150
Overall Width	1 920	1 920
Overall Height	1 925	1 925
Wheelbase	3 200	3 200
Wheel Tread (mm)		
Front	1 685	1 685
Rear	1 660	1 660
Overhang (mm)		
Front	880	880
Rear	1 070	1 070
Ground Clearance	190	190
Interior (mm)		
Head Room		
Front Row	1 017	1 017
Second Row	1 018	1 018
Third Row	1 010	1 010
Leg Room		
Front Row	1 041	1 041
Second Row	995	995
Third Row	925	925
Shoulder Room		
Front Row	1 610	1 610

H1 9 Seater Wagon	H1 2.4 CVVT	H1 2.5 VGTi
	9 Seater Bus	9 Seater Bus
	Petrol	Diesel
	5-spd Manual	5-spd Automatic
Second Row	1 650	1 650
Third Row	1 575	1 575
Hip Room		
Front Row	1 530	1 530
Second Row	1 652	1 652
Third Row	1 460	1 460
Cargo Area (L) - SAE		
Behind Third Row	842	842
Cargo Area (mm)		
Length	851	851
Width	1 591	1 591
Height	833	833
STYLING FEATURES		
Bumper Styling		
Front	Two-tone	Two-tone
Rear	Two-tone	Two-tone
Door Handles	Body Colour	Body Colour
Front Grill Styling	Black & Chrome	Chrome
Gear Lever Finish	Vinyl	Vinyl
Side Mirrors	Black	Body Colour
Metallic Paint	Optional	Optional
SEATS		
Front Seats		
Drivers Seat Adjustment		
Slide	Standard	Standard
Recline	Standard	Standard
Height	Standard	Standard
Head Rests	Height Adjustable	Height Adjustable
Seat Back Pockets	Standard	Standard
Passenger Seat Adjustment		
Slide	Standard	Standard
Recline	Standard	Standard
Head Rests	Height Adjustable	Height Adjustable
Seat Back Pockets	Standard	Standard
Second Row		
Slide	Standard	Standard
Recline	Standard	Standard
Split Rear Seats	Standard	Standard
Head Rests	2 X Height Adjustable	2 X Height Adjustable
Third Row		
Split Rear Seats	-	-
Head Rests	2 X Height Adjustable	2 X Height Adjustable
Seating Configuration	3/3/3	3/3/3
Seat Trim	Imitation Leather - Grey	Imitation Leather - Grey
Anti-submarine	Standard	Standard
SAFETY FEATURES		
Air bags		
Driver - Depowered	Standard	Standard
Passenger - Depowered	Standard	Standard
Side	-	Standard
Body		
Crumple Zones	Standard	Standard
Side Impact Protection Beams	Standard	Standard
Uni-body Construction	Standard	Standard
4 Ring Body Structure	Standard	Standard
Lights		
Fog lights	Front & Rear	Front & Rear
Headlight Auto On/Off Function	Standard	Standard
Headlight Type	Projection	Projection
High Mount Stop Light	Top of Rear Door	Top of Rear Door
Side Indicators	On Front Fender	Outside Mirror
Seatbelt		
Front Seats	2 x 3 Point Inertia Type, 1x Lapstrap	2 x 3 Point Inertia Type, 1x Lapstrap
Height Adjustable	Driver & Passenger	Driver & Passenger
Not-Inserted Warning Indicator (Driver)	Standard	Standard
Pretensioner with Load Limiter	Driver & Passenger	Driver & Passenger
Second Row	2 x 3 Point Inertia Type, 1x Lapstrap	2 x 3 Point Inertia Type, 1x Lapstrap
ISOFIX Child Seat Anchors	Standard	Standard
Third Row	2 x 3 Point Inertia Type, 1x Lapstrap	2 x 3 Point Inertia Type, 1x Lapstrap
Security		

H1 9 Seater Wagon	H1 2.4 CVVT	H1 2.5 VGTi
	9 Seater Bus	9 Seater Bus
	Petrol	Diesel
	5-spd Manual	5-spd Automatic
Auto Locking Doors	Speed Sensitive 40km/h - Optional 20km/h	Speed Sensitive 40km/h - Optional 20km/h
Impact Sensing Door Unlock	Standard	Standard
Central Locking	Standard	Standard
Child Lock on Rear Doors	Standard	Standard
Inside Handle Override	Driver	Driver
Remote Keyless Entry	Standard	Standard
Transponder Immobiliser	Standard	Standard
Windscreen		
Front		
Tinted	Standard	Standard
Rear		
Demister	Yes - 20 min Timer	Yes - 20 min Timer
Wiper & Washer	Standard	Standard
CONVENIENCE FEATURES		
Ventilation		
Air-Conditioner	Manual	Auto Climate Control
Air Conditioner - Pollen Filter	Standard	Standard
Glove Box Cooling	Standard	Standard
Separate Driver & Rear Passenger Controls	Standard	Standard
Rear Passenger Adjustable Air Vents	Standard	Standard
Audio system		
Audio	Infotainment System with RDS / MP3 / Radio	Infotainment System with RDS / MP3 / Radio
Aux / iPod / USB Connection	Standard	Standard
Bluetooth	Standard	Standard
Antenna Location	Roof - Rear	Roof - Rear
No. of Speakers	4 Speakers + 2 Tweeters	4 Speakers + 2 Tweeters
Instrumentation		
On-board Computer		
Trip Meter	Two Measurements	Two Measurements
Warning and Indicator		
A/T Position Indicator	-	Standard
ABS	Standard	Standard
Battery Charge	Standard	Standard
Door Open	Graphic	Graphic
Boot Open	Graphic	Graphic
Brake Oil Lever	Standard	Standard
Check Oil	Standard	Standard
Direction Indicator	Standard	Standard
ESP	-	Standard
Fog Light	Standard	Standard
Glow Indicator	-	Standard
Low Fuel	Standard	Standard
Oil Pressure	Standard	Standard
Parking Brake	Standard	Standard
Washer Fluid Warning Lamp	Standard	Standard
Illumination Rheostat	Standard	Standard
Tachometer	Standard	Standard
Courtesy Lights		
Cabin	Standard	Standard
Door	Standard	Standard
Map Reading	Driver & Passenger	Driver & Passenger
Rear View Mirrors		
Side Mirrors		
Adjustment	Electric	Electric
Folding Function	Manual	Electric
Inside Rear View Mirror		
Day Night Function	Electric Chromic	Electric Chromic
Rear View Camera Display	-	Standard
Window Operation		
Front		
Operation	Electric	Electric
Electric Window Jam Protection	-	Driver
One Touch Feature	Driver - Auto Down	Driver - Auto Up & Down
Rear		
Operation	Sliding	Sliding
Windscreen Wipers		
Front		
2 Speed	Standard	Standard
Single Wipe Function	Standard	Standard
Variable Intermittent Function	Standard	Standard

H1 9 Seater Wagon	H1 2.4 CVVT	H1 2.5 VGTi
	9 Seater Bus	9 Seater Bus
	Petrol	Diesel
	5-spd Manual	5-spd Automatic
Rear		
Single Wipe Function	Standard	Standard
Washer	Standard	Standard
Storage Compartments		
Glove Box	Upper & Lower	Upper & Lower
Map Pockets: Door Panels	Front - Upper & Lower	Front - Upper & Lower
Sunglass Holder	Standard	Standard
Sun Visor		
Ticket Holder	Driver & Passenger	Driver & Passenger
Vanity Mirror	Driver & Passenger	Driver & Passenger
Doors		
Side	Both Side - Sliding	Both Side - Sliding
Rear	Lift Type	Lift Type
Cup Holders	Front & Rear	Front & Rear
Cruise Control	-	Standard
Drivers Foot Rest	Standard	Standard
Mud Flaps	Front & Rear	Front & Rear
Navigation	Optional	Optional
Park Assist	Rear	Camera & Rear
Remote Fuel Flap Opener	Cable Type	Cable Type
Tinted Windows	All	All
WARRANTY & MAINTENANCE		
Warranty	5 Year / 150 000 km Manufacturer's Warranty	5 Year / 150 000 km Manufacturer's Warranty
	Additional 2 Year / 50 000 Km Manufacturer's Powertrain Warranty	Additional 2 Year / 50 000 Km Manufacturer's Powertrain Warranty
Perforation Warranty	5 Year / 160 000 km Manufacturer's Warranty	5 Year / 160 000 km Manufacturer's Warranty
Roadside Assistance	5 year / 150 000 km	5 year / 150 000 km
Service Plan	5 year / 90 000 km	5 year / 90 000 km
Service Intervals	15 000 km	15 000 km