

Grand i10	Grand i10 1.0 Cargo MY19	Grand i10 1.25 Cargo MY19
	5 Dr hatch	5 Dr hatch
	Petrol	Petrol
	5-spd Manual	5-spd Manual
ENGINE		
General Data		
Displacement (cc)	998	1 248
Bore x Stroke (mm)	71.0 X 84.0	71.0 x 78.8
Compression Ratio	10.5 : 1	10.5 : 1
Max. Power (Kw @ rpm)	48 @ 5500	64 @ 6000
Max. Torque (Nm @ rpm)	94 @ 3500	120 @ 4000
Number of Cylinders	3	4
Cylinder Block	Aluminium	Aluminium
Cylinder Head	Aluminium	Aluminium
Timing Chain	Silent Timing Chain	Silent Timing Chain
Valve System	CVVT , 12 Valve	CVVT , 16 Valve
Cam System	DOHC	DOHC
Fuel System	Returnless Multi-point electronic fuel injection	Returnless Multi-point electronic fuel injection
Fuel Type	High Octane Petrol	High Octane Petrol
Fuel Tank (L)	43	43
Lubricant Oil Capacity (L)	3.0	3.6
Cooling Fluid Capacity (L)	4.9	5.3
Electrical System		
Battery	40 AH	40 AH
Alternator	13.5V/90A	13.5V/90A
Starter	12V/0.9KW	12V/0.9KW
TRANSMISSION		
Drive Type	Front Wheel Drive	Front Wheel Drive
Transmission Type	5-Speed Manual	5-Speed Manual
Gear Ratio		
1st	3.727	3.545
2nd	2.056	1.895
3rd	1.269	1.269
4th	0.964	0.853
5th	0.774	0.719
Reverse	3.636	3.636
Final	4.800	4.600
Eco Drive shift indicator	Standard	Standard
Clutch Type	Ø 180mm Dry Single Plate Diaphragm Spring Type	Ø 190mm Dry Single Plate Diaphragm Spring Type
Lubricant Capacity (L)	2.00	2.00

Grand i10	Grand i10 1.0 Cargo MY19	Grand i10 1.25 Cargo MY19
	5 Dr hatch	5 Dr hatch
	Petrol	Petrol
	5-spd Manual	5-spd Manual
VEHICLE PERFORMANCE		
Max Speed (kph)	155	168
Acceleration (sec)		
0 → 100 kph	14.9	12.2
Braking (m)		
100 → 0 kph	53.4	53.4
Coefficient of Drag	0.35	0.35
FUEL CONSUMPTION (European testing)		
Combined Cycle	Litres / 100 km	
	5.4	5.9
CO2 EMISSIONS (European testing)		
Combined Cycle	g/km	
	132	133
SUSPENSION		
Front	McPherson type strut with stabilizer bar and Coil Springs	McPherson type strut with stabilizer bar and Coil Springs
Rear	CTBA (Coupled Torsion Beam Axle) with Coil Springs	CTBA (Coupled Torsion Beam Axle) with Coil Springs
Shock Absorbers	Front	Gas Filled High Performance Damper
	Rear	Gas Filled High Performance Damper
STEERING		
Steering Wheel Description	3 Spoke steering wheel with Airbag	3 Spoke steering wheel with Airbag
Steering Type	Rack & Pinion with Collapsible universal joint & column	Rack & Pinion with Collapsible universal joint & column
Power Assisted	Motor Driven Power Assisted Steering system (MDPS)	Motor Driven Power Assisted Steering system (MDPS)
Steering Column Adjustment	Tilt	Tilt
Steering Wheel Finish	Poly Urethane	Poly Urethane
Steering Wheel Multifunction Controls		
	Audio Control	Standard
	Bluetooth	Standard
	Trip Computer	Standard
Steering Wheel Turns (lock to lock)	2.90	2.90
Min. Turning Radius (m)	4.88	4.88

Grand i10	Grand i10 1.0 Cargo MY19	Grand i10 1.25 Cargo MY19
	5 Dr hatch	5 Dr hatch
	Petrol	Petrol
	5-spd Manual	5-spd Manual
<u>WHEELS & TYRES</u>		
Wheel Type	Steel Rim 5.5J x 14	Alloy Rim 5.5J x 14
Tyre Size		
Front	165/65 R14"	165/65 R14"
Rear	165/65 R14"	165/65 R14"
Spare	165/65 R14"	165/65 R14"
Spare Tyre Location	Located on the cargo floor	Located on the cargo floor
Tyre Pressure (Kpa):		
Front		
Unladen	230	230
Laden	250	250
Rear		
Unladen	230	230
Laden	250	250
Spare	250	250
<u>BRAKES</u>		
Front Brake Type	Ø 252mm Ventilated Disc, Floating-calliper brakes	Ø 252mm Ventilated Disc, Floating-calliper brakes
Rear Brake Type	Ø 203mm Drum, with Automatic Clearance Adjustor	Ø 203mm Drum, with Automatic Clearance Adjustor
Brake Booster	9" Single	9" Single
Boost Ratio	7.5 : 1	7.5 : 1
Park Brake	Floor mount cable type on rear wheels	Floor mount cable type on rear wheels
ABS (Anti-Lock Breaking System)	4-Wheel electronic, 4-Channel 4-Sensor ABS	4-Wheel electronic, 4-Channel 4-Sensor ABS
EBD (Electronic Brake Force Distribution)	Standard	Standard
<u>WEIGHT (kg)</u>		
Vehicle		
Curb / Tare	912	1 051
Gross Vehicle Mass (GVM)	1 430	1 430
Gross Combination Mass (GCM) - (No towing capability)	1 430	1 430
Maximum Mass On Front Axle	800	800
Maximum Mass On Rear Axle	780	780
Payload (Kg)	518	379
Roof Rack Load (Kg)	80	80
<u>DIMENSIONS</u>		
Exterior (mm)		

Grand i10	Grand i10 1.0 Cargo MY19	Grand i10 1.25 Cargo MY19
	5 Dr hatch	5 Dr hatch
	Petrol	Petrol
	5-spd Manual	5-spd Manual
Overall Length	3 765	3 765
Overall Width	1 660	1 660
Overall Height - Excluding Roof Rails	1 520	1 520
Wheelbase	2 425	2 425
Ground Clearance	152	152
Wheel Tread (mm)		
Front	1 479	1 479
Rear	1 493	1 493
Overhang (mm)		
Front	705	705
Rear	635	635
Interior (mm)		
Internal Length	1 844	1 844
Internal Width	1 360	1 360
Internal Height	1 257	1 257
Head Room		
Front Row	1 008	1 008
Leg Room		
Front Row	1 050	1 050
Shoulder Room		
Front Row	1 306	1 306
Hip Room		
Front Row	1 246	1 246
Cargo Area (L) - VDA		
Behind First Row	1 202	1 202
Cargo Area (mm)		
Opening Width	920	920
STYLING FEATURES		
Bumper Styling		
Front	Body Colour	Body Colour
Rear	Body Colour	Body Colour
Door Handles	Body Colour	Body Colour
Front Grill Styling	Black	Black
Gear Lever Finish	Vinyl	Vinyl
Rear Spoiler	Body Colour - With HMSL	Body Colour - With HMSL
Side Mirrors	Body Colour	Body Colour
Interior Colour Options	Black	Black
Metallic Paint	Optional	Optional

Grand i10	Grand i10 1.0 Cargo MY19	Grand i10 1.25 Cargo MY19
	5 Dr hatch	5 Dr hatch
	Petrol	Petrol
	5-spd Manual	5-spd Manual
SEATS		
Front Seats		
Drivers Seat Adjustment		
Slide	Manual	Manual
Recline	Manual	Manual
Height	Manual - Pump Type	Manual - Pump Type
Head Rests	Height Adjustable	Height Adjustable
Seat Back Pockets	Standard	Standard
Passenger Seat Adjustment		
Slide	Manual	Manual
Recline	Manual	Manual
Head Rests	Height Adjustable	Height Adjustable
Seat Back Pockets	Standard	Standard
Seating Configuration	2 Front	2 Front
Seat Trim	High Grade Cloth	High Grade Cloth
Anti-submarine	All	All
SAFETY FEATURES		
Airbags		
Driver - Depowered	Standard	Standard
Passenger - Depowered	Standard	Standard
Passenger Airbag Disable Function	Standard	Standard
Body		
Crumple Zones	Front & Rear	Front & Rear
Side Impact Protection Beams	Standard	Standard
Uni-body Construction	Standard	Standard
Lights		
Delay Exiting On Interior lights	-	Standard
Fog lights	Front	Front
Headlight Type	Halogen	Halogen
High Mount Stop Light	Standard	Standard
Side Indicators	On Front Fender	On Side Mirror
Seatbelt		
Front Seats		
Seatbelt Type	2 x 3 Point Inertia Reel (ELR)	2 x 3 Point Inertia Reel (ELR)
Pretensioner with Load Limiter	Standard	Standard
Height Adjustable	Standard	Standard
Not-Inserted Warning Indicator	Standard - Driver	Standard - Driver
Security		
Impact Sensing Door Unlock	Standard	Standard

Grand i10	Grand i10 1.0 Cargo MY19	Grand i10 1.25 Cargo MY19
	5 Dr hatch	5 Dr hatch
	Petrol	Petrol
	5-spd Manual	5-spd Manual
Central Locking	Key	Remote
Child Lock on Rear Doors	Standard	Standard
Remote Keyless Entry	-	Standard
Alarm	-	Standard
Transponder Immobiliser	Standard	Standard
Cargo barrier	Standard	Standard
Window Barrier		
Rear	Standard	Standard
Tailgate	Standard	Standard
Windscreen		
Front		
Tinted	Standard	Standard
Rear		
Demister	20 min timer	20 min timer
Wiper & Washer	Standard	Standard
CONVENIENCE FEATURES		
Ventilation		
Air-Conditioner	Manual	Manual
Air Conditioner - Anti-bacterial Pollen Filter	Standard	Standard
Audio system		
Audio	Radio / CD / MP3	Infotainment System
Aux / USB Connection	Standard	USB Connection Only
RDS	Standard	Standard
Bluetooth	Standard	Standard
Antenna Location	Roof - Rear	Roof - Rear
No of Speakers	4 Speakers	4 Speakers
Instrumentation		
On-board Computer		
Average Consumption	Standard	Standard
Average Speed	Standard	Standard
Distance To Empty	Standard	Standard
Driving Time	Standard	Standard
Instant Consumption	Standard	Standard
Trip Meter	2 x Standard	2 x Standard
Warning and Indicator		
ABS	Standard	Standard
Battery Charge	Standard	Standard
Door Open	Graphic	Graphic
Boot Open	Graphic	Graphic

Grand i10	Grand i10 1.0 Cargo MY19	Grand i10 1.25 Cargo MY19
	5 Dr hatch	5 Dr hatch
	Petrol	Petrol
	5-spd Manual	5-spd Manual
Brake Fluid Level	Standard	Standard
Check Oil	Standard	Standard
Direction Indicator	Standard	Standard
Fog Light	Standard	Standard
Headlight On	Standard	Standard
Key In Ignition	Standard - Chime	Standard - Chime
Low Fuel	Standard	Standard
Oil Pressure	Standard	Standard
Parking Brake	Standard	Standard
Digital Clock	Standard	Standard
Tachometer	Standard	Standard
Side Indicators: One Touch Triple Turn Signal	-	Standard
Courtesy Lights		
Cabin	Standard	Standard
Cargo Area	Standard	Standard
Rear View Mirrors		
Side Mirrors		
Adjustment	Manual	Electric
Folding Function	Manual	Electric
Heated	-	Standard
Inside Rear View Mirror		
Day Night Function	Manual	Manual
Window Operation		
Front		
Operation	Electric	Electric
One Touch Feature	-	Driver - Auto Down
Rear		
Operation	Manual	Electric
Windscreen Wipers		
Front		
2 Speed Settings	Standard	Standard
Single Wipe Function	Standard	Standard
Intermittent Function	Standard	Standard
Rear		
Single Speed	Standard	Standard
Washer	Standard	Standard
Storage Compartments		
Glove Box	Standard	Standard
Map Pockets: Door Panels	Front	Front
Under Front Seat	Standard	Standard

<u>Grand i10</u>	Grand i10 1.0 Cargo MY19	Grand i10 1.25 Cargo MY19
	5 Dr hatch	5 Dr hatch
	Petrol	Petrol
	5-spd Manual	5-spd Manual
Sun Visor		
Vanity Mirror	Passenger	Passenger
Doors		
Side	4 Doors - Front Hinged	4 Doors - Front Hinged
Rear	Lift Type - Tail Gate	Lift Type - Tail Gate
Cup Holders	Front	Front
Navigation	-	Optional
Power Sockets	Front Consol	Front Consol
Remote Boot Lid Unlock	-	On Key
Remote Fuel Flap Opener	Cable Type	Cable Type
WARRANTY & MAINTENANCE		
Warranty	5 Year / 150 000 km Manufacturer's Warranty	5 Year / 150 000 km Manufacturer's Warranty
	Additional 2 Year / 50 000 Km Manufacturer's Powertrain Warranty	Additional 2 Year / 50 000 Km Manufacturer's Powertrain Warranty
Perforation Warranty	5 Year / 160 000 km Manufacturer's Warranty	5 Year / 160 000 km Manufacturer's Warranty
Roadside Assistance	7 year / 150 000 km	7 year / 150 000 km
Service Plan	-	2 year / 30 000km
Service Intervals	15 000 km	15 000 km